

## TEST REPORT: 719169967-CHM10-04-CSY

Date: 02 MAR 2010

Tel: +65 68851312 Fax: +65 67784301

Client's Ref:

Email: yi.zhang@tuv-sud-psb.sg

**Note:** This report is issued subject to TÜV SÜD PSB's "Terms and Conditions Governing Technical Services".  
The terms and conditions governing the issue of this report are set out as attached within this report.



PSB Singapore

Choose certainty.  
Add value.

### SUBJECT

Evaluation of "VINYL GLOW"

### CLIENT

KCC PAINTS SDN BHD  
Lot 13, Jalan Anggerik Mokara 31/54,  
Seksyen 13, Kota Kemuning,  
40460 Shah Alam  
Selangor D.E.  
Malaysia

Attn : Mr Theng


### DESCRIPTION OF SAMPLE

One can of sample labeled as follows was received on 12 Feb 2010.

VINYL GLOW

### DATE OF TEST

18 Feb 2010 – 02 Mar 2010



Laboratory:  
TÜV SÜD PSB Pte. Ltd.  
Testing Services  
No.1 Science Park Drive  
Singapore 118221


Phone : +65-6885 1333  
Fax : +65-6776 8670  
E-mail: testing@tuv-sud-psb.sg  
www.tuv-sud-psb.sg  
Co. Reg : 199002667R

Regional Head Office:  
TÜV SÜD Asia Pacific Pte. Ltd.  
3 Science Park Drive, #04-01/05  
The Franklin, Singapore 118223  
**TUV**<sup>®</sup>

**METHOD OF TEST**

The sample was tested in the "as-received" condition.

<b><u>Test</u></b>	<b><u>Method</u></b>
1) Formaldehyde	The sample was analysed by UV-Vis Spectrophotometer using Acetylacetone as reagent.
2) Mercury, Lead, Cadmium and Chromium	The sample was digested in inorganic acid, followed by analysis using Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES).
3) Flash point @ 61°C	By Seta Flash.
4) Volatile organic compound content	By BS EN ISO 11890-2:2006, Paints and varnishes – <i>Determination of content volatile organic compound (VOC) content – Part 2 : Gas-chromatographic method.</i>
5) Halogenated solvent Aromatic solvent Epichlorohydrin	By Gas Chromatograph –Mass Spectrometry (GC-MS).
6) N-methyl pyrrolidone	By Gas Chromatography with Flame Ionization Detector (GC-FID)



## RESULTS

Table 1 : The Formaldehyde results for "VINYL GLOW".

Test	Result	Method Detection Limit
Formaldehyde Content	Not Detected	0.1%

Table 2 : The Elemental results for "VINYL GLOW".

Test	Result	Method Detection Limit
Mercury	Not Detected	0.01%
Lead	Not Detected	0.01%
Cadmium	Not Detected	0.01%
Chromium	Not Detected	0.01%

Table 3 : The Flash Point results for "VINYL GLOW".

Test	Result
Flash point @61°C	No Flash

Table 4 : The Volatile Organic Compound (VOC) content for "VINYL GLOW".

Test	Result	Method Detection Limit
VOC Content <sup>a</sup>	14.2g/L	2g/L

- a) - Volatile organic compound (VOC) means any organic compound having an initial boiling point less than or equal to 250°C measured at a standard pressure of 101,3kPa.  
b) The result was calculated based on the specific gravity = 1.2425 provided by the client

Table 5 : The analytical results for "VINYL GLOW".

Test	Result	Method Detection Limit
Halogenated solvent	Not Detected	0.1%
Epichlorohydrin	Not Detected	0.1%
Aromatic solvents	Not Detected	0.1%
N-methyl pyrrolidone	Not Detected	0.1%



MS CHOO SEOW YAH  
TECHNICAL EXECUTIVE



DR ZHANG YI  
CHEMIST  
MICROCONTAMINATION DIAGNOSIS  
CHEMICAL & MATERIALS

# TEST REPORT: 719169967-CHM10-04-CSY

02 MAR 2010



PSB Singapore

This Report is issued under the following conditions:

1. Results of the testing/calibration in the form of a report will be issued immediately after the service has been completed or terminated.
2. Unless otherwise requested, a report shall contain only technical results. Analysis and interpretation of the results and professional opinion and recommendations expressed thereupon, if required, shall be clearly indicated and additional fee paid for, by the Client.
3. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that TÜV SÜD PSB approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that TÜV SÜD PSB in any way "guarantees" the later performance of the product/equipment.
4. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. TÜV SÜD PSB therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any information supplied.
5. Additional copies of the report are available to the Client at an additional fee. No third party can obtain a copy of this report through TÜV SÜD PSB, unless the Client has authorised TÜV SÜD PSB in writing to do so.
6. TÜV SÜD PSB may at its sole discretion add to or amend the conditions of the report at the time of issue of the report and such report and such additions or amendments shall be binding on the Client.
7. All copyright in the report shall remain with TÜV SÜD PSB and the Client shall, upon payment of TÜV SÜD PSB's fees for the carrying out of the tests/calibrations, be granted a license to use or publish the report to the third parties subject to the terms and conditions herein, provided always that TÜV SÜD PSB may at its absolute discretion be entitled to impose such conditions on the license as it sees fit.
8. Nothing in this report shall be interpreted to mean that TÜV SÜD PSB has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.
9. This report shall not be reproduced wholly or in parts and no reference shall be made by the Client to TÜV SÜD PSB or to the report or results furnished by TÜV SÜD PSB in any advertisements or sales promotion.
10. Unless otherwise stated, the tests are carried out in TÜV SÜD PSB Pte Ltd, No.1 Science Park Drive Singapore 118221.

March 2009